

Sher-Crete®

CONCRETE RESTORATION SYSTEMS

DIVISION 3



**SHERWIN
WILLIAMS.**

CLEANER AND NEUTRALIZER (INDUSTRIAL)



Concrete Protection from Sweating and Alkalinity Problems

Because concrete is a porous material, moisture and alkaline can build up over time and damage costly finishes. Sher-Crete Cleaner & Neutralizer uses a special lithium ion formula to give you heavy duty protection from sweating and alkalinity for an eye-catching surface shine. Easy to use, single application Sher-Crete Cleaner & Neutralizer is a key component in maximizing the life of concrete flooring.

Product Description

Sher-Crete Cleaner & Neutralizer cleans concrete floors and neutralizes damage from efflorescence, sweating, and other alkalinity problems. Sher-Crete Cleaner & Neutralizer stops alkali reactions in cement and reduces the formation of alkali salts and sweating by infusing lithium ions into the concrete surface.

Packaged in 5 gallon or 55 gallon containers, with a coverage rate of 400-600 square feet per gallon.

Now available throughout the United States, Canada and Mexico.

Technical Description

Sweating and alkaline reactions in new concrete can cause numerous problems, including cracking, and discoloration, issues that can disrupt normal flooring use. Sher-Crete Cleaner & Neutralizer mitigates this problem by infusing lithium ion particles into cement to create an effective compound that neutralizes alkaline and other silica reactions. Easy to use single-application formula and clear water cleanup make Sher-Crete Cleaner & Neutralizer a fast and environmentally-friendly solution for cleaning new concrete.

CLEANER & NEUTRALIZER (INDUSTRIAL)

Markets Served

- Industrial

Features

- Cleans new concrete for maximum shine
- Neutralizes alkaline reaction
- Fast, easy application
- Prevents concrete sweating
- Clear and colorless formula
- One-coat application
- Fast-drying
- USDA approved

Advantages

- Single application
- Increased abrasion resistance
- Improved performance, appearance
- Increased life expectancy

Benefits

- Deep penetration into concrete capillaries
- Minimizes down time
- Provides a more uniform consistent substrate for colors
- Preserves natural look
- Helps to reduce alkalinity efflorescence
- Reduced wear
- Superior concrete cleaning
- Increases life expectancy of the concrete surface
- Safe, durable, long-lasting

Application Procedures

1. Clean the substrate completely, eliminating any construction materials, dirt, dust, or other residue. Dry the surface thoroughly before application of the Sher-Crete™
2. Saturate the surface with Sher-Crete Cleaner & Neutralizer using a low pressure sprayer.
3. Using an automatic scrubber or stiff broom, work the Sher-Crete Cleaner & Neutralizer into the substrate to increase penetration. Keep the surface moist with Sher-Crete Cleaner & Neutralizer for 20 to 30 minutes (adding more Sher-Crete Cleaner & Neutralizer as needed) for best results.
4. Wash away any remaining Sher-Crete Cleaner & Neutralizer with clear water and let the surface air dry. Light pedestrian traffic within 30 to 60 minutes, wheeled traffic in 2 hours.

Maximum strength and alkaline reaction resistance should be attained within 48 hours. Routine sweeping, mopping, washing, and mechanical scrubbing of floors with a neutral pH cleaners are recommended. Water can be sufficient in some environments. DO NOT USE cleaners that are either acidic or have a butyl base. The product is chemically resistant; it is susceptible to stripping with butyl degreasers, and some acids.

The Sherwin-Williams Companies (SW) solely and expressly warrants that its products shall be free from defects in materials and workmanship for six months from the date of purchase. Unless authorized in writing by an officer of SW, no other representations or statements made by SW or its representatives, in writing or orally, shall alter this warranty. SW MAKES NO WARRANTIES, IMPLIED OR OTHERWISE, AS TO THE MERCHANTABILITY OR FITNESS FOR ORDINARY OR PARTICULAR PURPOSES OF ITS PRODUCTS AND EXCLUDES THE SAME. If any SW Global Polishing Systems product fails to conform to this warranty, Global Polishing Systems will replace Sher-Crete™ at no cost to the Buyer. Replacement of any product shall be the sole and exclusive remedy available and buyer shall have no claim for incidental or consequential damages. Any installation of SW products that fails to conform to such installation information or instructions shall void this warranty. Product demonstrations, if any, are done for illustrative purposes only and do not constitute a warranty or warranty alteration of any kind. Buyer shall be solely responsible for determining the suitability of SW products for the Buyers intended purposes.

